ELSEVIER

Journal of Supercritical Fluids 14 (1999) 273

THE JOURNAL OF Supercritical Fluids

Author Index

Abaroudi, K., 151
Alessi, P., 139
Anitescu, G., 197

Barth, D., 41
Baysal, T., 225
Berna, A., 95
Bernardo-Gil, M.G., 129
Blasco, M., 95
Bondarenko, G.V., 1
Boyadzhiev, L., 41
Benner, Jr., B.A., 257
Brunner, G., 67, 105, 181, 247
Budich, M., 105

Cabañas, A., 173
Cansell, F., 41
Choquette, S.J., 257
Conradi, M.S., 31
Cortesi, A., 139

Deák, A., 75
Della Porta, G., 115
Dimitrov, K., 41
Doraiswamy, L.K., 235

Eggers, R., 163
Esquível, M.M., 129

Fantozzi, P., 87
Ferreira de França, L., 247
Ferreira, S.R.S., 235
Fleck, U., 67
Folie, B., 49
Fulton, J.L., 9

Gamse, T., 123
Garnier, S., 139
Gorbaty, Y.E., 1
Guan, B., 213

Habulin, M., 17
Han, B., 213
Harrell, C.L., 219
Heater, K.J., 55
Heilig, S., 105
Hoffmann, M.M., 31
Horst, R., 49

Khachaturyan, M., 145
Kikic, I., 139
King, J.W., 87
Kinzl, M., 49
Klein, M.T., 219
Knez, Z., 17
Krmelj, V., 17

Lamberti, G., 115
Leibküchler, V., 105
Linehan, J.C., 9
Liu, Z., 213
Luft, G., 49

Machado, N.T., 247
Marr, R., 123
Meireles, M.A.A., 235, 247
Mira, B., 95
Mock, D., 173
Montanari, L., 87
Moscariello, J.S., 219

Nikolov, Z.L., 235

Page, S.H., 257
Pando, C., 173
Petenate, A.J., 235
Pietsch, A., 163

Rat, V., 145
Reber, G., 247
Recasens, F., 151
Renuncio, J.A.R., 173
Reverchon, E., 115
Ribeiro, M.A., 129
Rogler, I., 123
Rónyai, E., 75

Simándi, B., 75
Small, J.A., 257
Snyder, J.M., 87
Sovova, H., 145
Starmans, D.A.J., 225
Stoldt, J., 181
Subirats, S., 95

Tavlarides, L.L., 197
Tiegs, C., 67
Tomasko, D.L., 55
Tömösközi, S., 75
Trabelsi, F., 151
Tufeu, R., 41
Turtoi, G., 139

Vigh, L., 75
Vlcek, D., 145

Weinbrenner, Z., 75
Wesse, T., 105
Wolf, B.A., 49

Yan, H., 213
Yonker, C.R., 9

ELSEVIER

Journal of Supercritical Fluids 14 (1999) 275–278

THE JOURNAL OF Supercritical Fluids

Subject Index

Alcohol reduction
Supercritical CO_2 extraction for utilisation of excess wine of poor quality 123
Analysis
Supercritical CO_2 extraction of essential oil from orange peel. Effect of operation conditions on the extract composition 95
Antioxidant
Supercritical extraction of savory oil: study of antioxidant activity and extract characterization 129
Effect of chemical structure on the solubility of antioxidants in supercritical carbon dioxide: experimental data and correlation 139
Antisolvent precipitation
Processing of epoxy resins using carbon dioxide as an antisolvent 55
Automation
Fractionation of fatty acid ethyl esters by supercritical CO_2: high separation efficiency using an automated countercurrent column 67
Behenic acid
Solubility of behenic acid in supercritical carbon dioxide with ethanol 213
Binary supercritical fluids
The use of high pressure NMR for the determination of phase behavior for select binary solvent systems 9
Black pepper oil
Supercritical fluid extraction of black pepper (*Piper nigrun L.*) essential oil 235
Caffeine
The mixer–settler principle as a separation unit in supercritical fluid processes 163
Capillary GC analysis
Solubility of individual polychlorinated biphenyl (PCB) congeners in supercritical fluids: CO_2, CO_2/MeOH and CO_2/n-C_4H_{10} 197
Caraway
Supercritical carbon dioxide extraction of carvone and limonene from caraway seed 225
Carbon dioxide
Solubility of poly(ethylene glycol)nonylphenyl ether in supercritical carbon dioxide 41
Processing of epoxy resins using carbon dioxide as an antisolvent 55
Effect of chemical structure on the solubility of antioxidants in supercritical carbon dioxide: experimental data and correlation 139
Solubility of squalane and dinonyl phthalate in CO_2 with entrainers 145
Excess enthalpies of mixtures of olive oil and supercritical carbon dioxide 173
Carotene
Supercritical extraction of carotenoids and lipids from buriti (*Mauritia flexuosa*), a fruit from the Amazon region 247
Carvone
Supercritical carbon dioxide extraction of carvone and limonene from caraway seed 225
Chemical composition
Supercritical fluid extraction of black pepper (*Piper nigrun L.*) essential oil 235
Citrus oils
Countercurrent deterpenation of citrus oils with supercritical CO_2 105
CO_2
Fractionation of fatty acid ethyl esters by supercritical CO_2: high separation efficiency using an automated countercurrent column 67
Solubility of individual polychlorinated biphenyl (PCB) congeners in supercritical fluids: CO_2, CO_2/MeOH and CO_2/n-C_4H_{10} 197
Supercritical fluid extraction of black pepper (*Piper nigrun L.*) essential oil 235
Concrete
Modelling of orange flower concrete fractionation by supercritical CO_2 115
Corn germ
Supercritical fluid extraction of corn germ with carbon dioxide–ethyl alcohol mixture 75
Correlation
Phase equilibria in complex systems of palm oil deodorizer condensates and supercritical carbon dioxide: experiments and correlation 181
Countercurrent extraction
Countercurrent deterpenation of citrus oils with supercritical CO_2 105
Cross-section load
Fractionation of fatty acid ethyl esters by supercritical CO_2: high separation efficiency using an automated countercurrent column 67
Deuteration reactions
Hydrogen exchange reactions in supercritical media monitored by in situ NMR 31
Entrainer
Supercritical fluid extraction of corn germ with carbon dioxide–ethyl alcohol mixture 75

Entrainers
Solubility of squalane and dinonyl phthalate in CO_2 with entrainers 145
Enzymes
Enzyme catalyzed reactions in dense gases 17
Epoxy resin
Processing of epoxy resins using carbon dioxide as an antisolvent 55
Equilibrium solubility
Solubility of individual polychlorinated biphenyl (PCB) congeners in supercritical fluids: CO_2, CO_2/MeOH and CO_2/*n*-C_4H_{10} 197
Essential oil
Modelling of orange flower concrete fractionation by supercritical CO_2 115
Supercritical extraction of savory oil: study of antioxidant activity and extract characterization 129
Esterification
Enzyme catalyzed reactions in dense gases 17
Ethanol
Solubility of behenic acid in supercritical carbon dioxide with ethanol 213
Excess enthalpies
Excess enthalpies of mixtures of olive oil and supercritical carbon dioxide 173
Extraction
Supercritical extraction of carotenoids and lipids from buriti (*Mauritia flexuosa*), a fruit from the Amazon region 247
Fats
Phase equilibria in complex systems of palm oil deodorizer condensates and supercritical carbon dioxide: experiments and correlation 181
Fatty acid ethyl esters
Fractionation of fatty acid ethyl esters by supercritical CO_2: high separation efficiency using an automated countercurrent column 67
Fixed bed
Supercritical fluid extraction of black pepper (*Piper nigrun L.*) essential oil 235
Flow-induced demixing
Shear influences on the solubility of LDPE in ethene 49
Fluid
The physical state of supercritical fluids 1
Fractionation
Supercritical extraction of savory oil: study of antioxidant activity and extract characterization 129
Heterogeneous catalysis
The absence of wall effects during benzonitrile hydrolysis 219
High pressure
Enzyme catalyzed reactions in dense gases 17
High pressure extraction
Supercritical CO_2 extraction for utilisation of excess wine of poor quality 123
High pressure NMR
The use of high pressure NMR for the determination of phase behavior for select binary solvent systems 9
High temperature/high pressure NMR spectroscopy
Hydrogen exchange reactions in supercritical media monitored by in situ NMR 31
Hydrogen exchange
Hydrogen exchange reactions in supercritical media monitored by in situ NMR 31
Hydrolysis
The absence of wall effects during benzonitrile hydrolysis 219
Kinetics
Supercritical fluid extraction of corn germ with carbon dioxide–ethyl alcohol mixture 75
The absence of wall effects during benzonitrile hydrolysis 219
Limonene
Supercritical CO_2 extraction of essential oil from orange peel. Effect of operation conditions on the extract composition 95
Supercritical carbon dioxide extraction of carvone and limonene from caraway seed 225
Low volatile liquids
Solubility of squalane and dinonyl phthalate in CO_2 with entrainers 145
Mass transfer
Enzyme catalyzed reactions in dense gases 17
Mass transfer kinetics
Solubility of poly(ethylene glycol)nonylphenyl ether in supercritical carbon dioxide 41
Mass transfer rate
Supercritical fluid extraction of black pepper (*Piper nigrun L.*) essential oil 235
Mathematical model
Supercritical CO_2 extraction of essential oil from orange peel. Effect of operation conditions on the extract composition 95
Mauritia flexuosa
Supercritical extraction of carotenoids and lipids from buriti (*Mauritia flexuosa*), a fruit from the Amazon region 247
Methanol
Solubility of individual polychlorinated biphenyl (PCB) congeners in supercritical fluids: CO_2, CO_2/MeOH and CO_2/*n*-C_4H_{10} 197
Mixer settler
The mixer–settler principle as a separation unit in supercritical fluid processes 163
Mixing
Processing of epoxy resins using carbon dioxide as an antisolvent 55
Multicomponent
Phase equilibria in complex systems of palm oil deodorizer condensates and supercritical carbon dioxide: experiments and correlation 181
n-Butane
Solubility of individual polychlorinated biphenyl (PCB) congeners in supercritical fluids: CO_2, CO_2/MeOH and CO_2/*n*-C_4H_{10} 197
Natural products
Supercritical extraction of carotenoids and lipids from buriti (*Mauritia flexuosa*), a fruit from the Amazon region 247

Nitriles
The absence of wall effects during benzonitrile hydrolysis 219
Olive oil
Excess enthalpies of mixtures of olive oil and supercritical carbon dioxide 173
Orange essential oil
Supercritical CO_2 extraction of essential oil from orange peel. Effect of operation conditions on the extract composition 95
Orange flower
Modelling of orange flower concrete fractionation by supercritical CO_2 115
PCB congeners
Solubility of individual polychlorinated biphenyl (PCB) congeners in supercritical fluids: CO_2, CO_2/MeOH and CO_2/*n*-C_4H_{10} 197
Perturbed hard-sphere
Predicting the approximate solubilities of solids in dense carbon dioxide 151
Phase equilibria
Countercurrent deterpenation of citrus oils with supercritical CO_2 105
Phase equilibria in complex systems of palm oil deodorizer condensates and supercritical carbon dioxide: experiments and correlation 181
Phase separation
Shear influences on the solubility of LDPE in ethene 49
Phospholipid
Supercritical fluid extraction of corn germ with carbon dioxide–ethyl alcohol mixture 75
Selective extraction of phospholipids from soybeans with supercritical carbon dioxide and ethanol 87
Poly(ethylene glycol)s
Solubility of poly(ethylene glycol)nonylphenyl ether in supercritical carbon dioxide 41
Polyethylene (LDPE)
Shear influences on the solubility of LDPE in ethene 49
Polymer fractionation
Solubility of poly(ethylene glycol)nonylphenyl ether in supercritical carbon dioxide 41
Prediction
Predicting the approximate solubilities of solids in dense carbon dioxide 151
Pressure loss
The mixer–settler principle as a separation unit in supercritical fluid processes 163
Restrictor plugging
Restrictor plugging in off-line supercritical fluid extraction of environmental samples. Microscopic, chemical, and spectroscopic evaluations 257
Savory
Supercritical extraction of savory oil: study of antioxidant activity and extract characterization 129
Selective extraction
Selective extraction of phospholipids from soybeans with supercritical carbon dioxide and ethanol 87
Separation
The mixer–settler principle as a separation unit in supercritical fluid processes 163
Shear influences
Shear influences on the solubility of LDPE in ethene 49
Solids
Predicting the approximate solubilities of solids in dense carbon dioxide 151
Solubility
Effect of chemical structure on the solubility of antioxidants in supercritical carbon dioxide: experimental data and correlation 139
Solubility of squalane and dinonyl phthalate in CO_2 with entrainers 145
Predicting the approximate solubilities of solids in dense carbon dioxide 151
Solubility of behenic acid in supercritical carbon dioxide with ethanol 213
Supercritical fluid extraction of black pepper (*Piper nigrun L.*) essential oil 235
Supercritical extraction of carotenoids and lipids from buriti (*Mauritia flexuosa*), a fruit from the Amazon region 247
Soxhlet extraction
Supercritical carbon dioxide extraction of carvone and limonene from caraway seed 225
Spectra
The physical state of supercritical fluids 1
Stage calculations
Countercurrent deterpenation of citrus oils with supercritical CO_2 105
Standard reference material
Restrictor plugging in off-line supercritical fluid extraction of environmental samples. Microscopic, chemical, and spectroscopic evaluations 257
Structure
The physical state of supercritical fluids 1
Supercritical
The physical state of supercritical fluids 1
Solubility of squalane and dinonyl phthalate in CO_2 with entrainers 145
Supercritical alcohols
Hydrogen exchange reactions in supercritical media monitored by in situ NMR 31
Supercritical carbon dioxide
The mixer–settler principle as a separation unit in supercritical fluid processes 163
Phase equilibria in complex systems of palm oil deodorizer condensates and supercritical carbon dioxide: experiments and correlation 181
Supercritical carbon dioxide (SC-CO_2)
Selective extraction of phospholipids from soybeans with supercritical carbon dioxide and ethanol 87
Supercritical CO_2
Supercritical CO_2 extraction for utilisation of excess wine of poor quality 123
Solubility of behenic acid in supercritical carbon dioxide with ethanol 213

Supercritical deterpenation
Countercurrent deterpenation of citrus oils with supercritical CO_2 105
Supercritical ethene
Shear influences on the solubility of LDPE in ethene 49
Supercritical extraction
Supercritical fluid extraction of corn germ with carbon dioxide–ethyl alcohol mixture 75
Supercritical extraction of savory oil: study of antioxidant activity and extract characterization 129
Supercritical fluid
Effect of chemical structure on the solubility of antioxidants in supercritical carbon dioxide: experimental data and correlation 139
Predicting the approximate solubilities of solids in dense carbon dioxide 151
Excess enthalpies of mixtures of olive oil and supercritical carbon dioxide 173
Solubility of individual polychlorinated biphenyl (PCB) congeners in supercritical fluids: CO_2, CO_2/MeOH and CO_2/*n*-C_4H_{10} 197
Supercritical fluid extraction
Solubility of poly(ethylene glycol)nonylphenyl ether in supercritical carbon dioxide 41
Fractionation of fatty acid ethyl esters by supercritical CO_2: high separation efficiency using an automated countercurrent column 67
Supercritical CO_2 extraction of essential oil from orange peel. Effect of operation conditions on the extract composition 95
Supercritical carbon dioxide extraction of carvone and limonene from caraway seed 225
Restrictor plugging in off-line supercritical fluid extraction of environmental samples. Microscopic, chemical, and spectroscopic evaluations 257
Supercritical fluids
Supercritical extraction of carotenoids and lipids from buriti (*Mauritia flexuosa*), a fruit from the Amazon region 247
Supercritical fractionation
Modelling of orange flower concrete fractionation by supercritical CO_2 115
Supercritical water
Hydrogen exchange reactions in supercritical media monitored by in situ NMR 31
Surfactants
Processing of epoxy resins using carbon dioxide as an antisolvent 55
Thermodynamic parameters
Enzyme catalyzed reactions in dense gases 17
Vapor–liquid equilibrium
The use of high pressure NMR for the determination of phase behavior for select binary solvent systems 9
Wall effects
The absence of wall effects during benzonitrile hydrolysis 219
Water
The physical state of supercritical fluids 1
Wine
Supercritical CO_2 extraction for utilisation of excess wine of poor quality 123